

Medidas Referenciales / Estimated Dimensions, Acot.mm.(pulg) / Dim.mm.(in)

CARACTERÍSTICAS DEL PRODUCTO

Monomando con manguera retráctil con sistema anticalcáreo y dos tipos de chorro.

MATERIAL:

Latón Bajo en Plomo

CARTUCHO:

Cartucho de Ø35mm tipo Joystick

ACCESORIOS:

Mangueras Flexibles de 12" de Largo
Manguera Retráctil de 58,5" de Largo
Incluye Llave para Mantenimiento del Cartucho
Incluye Llave para Instalación
Incluye Llave Allen 5/64"

INSTALACIÓN:

Conexión: ½-14 NPSM

Presión de trabajo

Pmin.=0,6 kg/cm²
Pmax.=6,0 kg/cm²

OPERACIÓN:

Para abrir el flujo de agua empuje la palanca hacia atrás y gire hacia la derecha para un flujo de agua fría o a la izquierda para un flujo de agua caliente, el cabezal cuenta con dos tipos de chorro: aireado y tipo regadera.

GARANTÍA:

El producto HELVEX está garantizado como libre de defectos en materiales y procesos de fabricación.

El producto HELVEX está garantizado, en lo que se refiere a los acabados; por un periodo de 10 años en los acabados cromo y duravex, y por 2 años en cabados diferentes al cromo, a partir de la fecha de compra indicada en la factura.

PRODUCT FEATURES

Single Control Faucet with retractable hose system and two types anticalcáreo jet.

MATERIALS:

Low Lead Brass

CARTRIDGE:

Cartridge type Joystick Ø35mm

ACCESSORIES:

Flexible Hoses 12 "Long
Retractable Hose 58.5 "Long
Includes Wrench Maintenance
Includes wrench for installation
Includes Allen Wrench 5/64 "

INSTALLATION:

Inlet Thread: ½-14 NPSM

Working Pressure.

Pmin.=8,53 psi
Pmax.=85,34 psi

OPERATION:

To open the flow of water, push the lever back and turn right to a stream of cold water or left to a flow of hot water, the head has two spray modes: aerated and type shower.

WARRANTY:

HELVEX product is warranted to be free from defects in materials and manufacturing processes.

HELVEX product is warranted in regards to finished for period of 10 years in the finishes chrome and duravex and for 2 years in different finishes chrome from the date of purchase indicated on the invoice.

* Los productos ilustrados pueden sufrir cambios sin previo aviso en su aspecto o partes, como resultado de los procesos de mejora continua al que están sujetos, sin implicar mayor responsabilidad de la fábrica.

* Products depicted here in subject to change without prior notice in their appearance or components as a result of incremental innovation.



EMPRESA SOCIALMENTE RESPONSABLE





Asesoría y Servicio Técnico: 01800 909 2020
Consultancy and Technical Service: 01(55)53339431
servicio.tecnico@helvex.com.mx



Refacciones Originales: Original Parts:
refacciones@helvex.com.mx

01 800 890 0594
01 (55) 53 33 94 00
53 33 94 21
Ext. 5068, 5815 y 5913



Kit de Refacciones para Mantenimiento Preventivo
 / Kit of Parts for Preventive Maintenance

